

**THE SECONDARY METABOLITES IN LYCOPODIACEAE S. STR.  
OF RUSSIAN FLORA AND THEIR BIOLOGICAL ACTIVITY**

© *L. M. Belenovskaya, A. L. Budantsev*<sup>1</sup>

REFERENCES

1. Ollgaard B. 1987. Arevised classification of the Lycopodiaceae s. lat. Opera Bot. 92: 153–178.
2. Ollgaard B. 1990. Lycopodiaceae. In: The Families and Genera of Vasular Plants. Eds K. U. Kramer, P. S. Green. Berlin. Vol. 1: Pteridophytes and Gymnosperms. P. 31–39.
3. Ivanenko Yu. A., Tzvelev N. N. 2004. On the genus *Diphasiastrum* (Lycopodiaceae) in the Eastern Europe. Botanicheskiy Zhurnal. 89 (1): 100–113. (In Russian)
4. Conspectus florum Rossiae Asiaticae: plantae vasculares. 2012. Red. princ. K. S. Baikov. Novosibirsk, 640 p. (In Russian)
5. Tzvelev N. N. 2012. Lycopodiophyta. In: Conspectus florum Europae orientalis. Peropoly; Mosqua. Vol. 1. P. 21–25. (In Russian)
6. Charkevich S. S. 1985. Lycopodiaceae. In: Vascular plants of the Soviet Far East. Leningrad. Vol. 1. P. 41–50. (In Russian)
7. Ivanenko Yu. A. 2006. Lycopodiaceae Beauv. ex Mirb. In: Flora of the Russian Far East. Addenda and corrigenda to «Vascular plants of the Soviet Far East». Vladivostok. Vol. 1–8 (1985–1996). P. 16–22. (In Russian)
8. Haines A. 2003. The families Huperziaceae and Lycopodiaceae of New England. A taxonomic and ecological reference. Bowdoin. 100 p.
9. Flora of Siberia. Lycopodiaceae—Hydrocharitaceae. 1988. Novosibirsk. 200 p. (In Russian)
10. Medicinal crude of plant and animal origin. Pharmacognosy. 2006. Ed. by G. P. Yakovlev. St. Petersburg. 845 p. (In Russian)
11. Pahlow M. 1998. DasGrosse Buch der Heilpflanzen. Moscow. Transl. from Germany. 467 p. (In Russian)
12. Wang C., Wu R., Yang G., Blackwood K. A., Friis T., Hutmacher W., Woodruff M. A. 2013. Effect of novel compound from *Lycopodium obscurum* L. on osteogenic activity of osteoblasts *in vitro*. Nat. Sci. 5 (1): 84–92.
13. Ayer W. A. 1991. The Lycopodium alkaloids. Nat. Prod. Rep. 8 (5): 455–463.
14. Ma X. Q., Gang D. R. 2004. The Lycopodium alkaloids. Nat. Prod. Rep. 21 (6): 752–772.
15. Hirasawa Y., Kobayashi J., Morita H. 2009. The Lycopodium. Heterocycles. 77 (2): 679–729.
16. Olafsdóttir E. S., Halldorsdóttir E. S., Pich N. M., Omarsdóttir S. 2013. Lycopodium alkaloids: Pharmacology. Natural products. Eds. K. G. Ramwat, J. M. Mérillon. Berlin. P. 1239–1262.
17. Ayer W. A., Browne L. M., Elgersma A. W., Singer P. P. 1990. Identification of some L-numbered Lycopodium alkaloids. Can. J. Chem. 68 (8): 1300–1304.

18. Ayer W. A., Trofimov L. S. 1994. Lycopodium alkaloids. In: *The Alkaloids: Chemistry and pharmacology*. Vol. 45. P. 233—266.
19. Koyama K., Morita H., Hirasawa Y., Yoshinaga M., Hoshino T., Obara Y., Nakahata N., Kobayashi J. 2005. Lannotinidines A-G, new alkaloids from two species of *Lycopodium*. *Tetrahedron*. 61 (15): 3681—3690.
20. Ishiuchi K., Kodama S., Kubota T., Hayashi S., Shibata T., Kobayashi J. 2009. Lannotinidines H-J, new *Lycopodium* alkaloids from *Lycopodium annotinum*. *Chem. Pharm. Bull.* 57 (8): 877—881.
21. Anet F. A. L., Haq M. Z., Khan N. H., Ayer W. A., Hayatsu R., Valverde-Lopez S., Deslongchamps P., Riess W., Ternbah M., Valenta Z., Wiesner K. 1964. The structure of lycconotine: A novel lycopodium alkaloid. *Tetrahedron Lett.* 5 (14): 751—757.
22. Ayer W. A., Kasitu G. C. 1989. Some new *Lycopodium* alkaloids. *Can. J. Chem.* 67 (6): 1077—1086.
23. Morita H., Ishiuchi K., Haganuma A., Hoshino T., Obara Y., Nakahata N., Kobayashi J. 2005. Complnadine B, obscurumines A and B, new alkaloids from two species of *Lycopodium*. *Tetrahedron*. 61 (8): 1955—1960.
24. Pan K., Luo J.-G., Kong L.-Y. 2013. Two new *Lycopodium* alkaloids from *Lycopodium obscurum*. *Helv. Chim. Acta.* 96 (6): 1197—1201.
25. Zhang X.-Y., Dong L.-B., Liu F., Wu X.-D., He J., Peng L.-Y., Luo H.-R., Zhao Q.-S. 2013. New *Lycopodium* alkaloids from *Lycopodium obscurum*. *Nat. Prod. Biopros.* 3 (2): 52—55.
26. Chen Y., He H.-W., Mei Z.-N., Yang G.-Z. 2014. *Lycopodium* alkaloids from *Lycopodium obscurum* L. *Helv. Chim. Acta.* 97 (4): 519—523.
27. Braekman J. C., Hootele C., Ayer W. A. 1971. Some constituents of *Lycopodium inundatum*. *Bull. Soc. Chim. Belg.* 80 (1—2): 83—90.
28. Morita H., Hirasawa Y., Kobayashi J. 2005. Lycopodatines A-C, C16N alkaloids from *Lycopodium inundatum*. *J. Nat. Prod.* 68 (12): 1809—1812.
29. Kubota T., Yahata H., Ishiuchi K., Obara Y., Nakahata N., Kobayashi J. 2007. Lycoplaline E, a new C16N1-type alkaloid from *Lycopodium complanatum*. *Heterocycles*. 74 (1): 843—848.
30. Wu X.-D., He J., Xu G. Peng L.-Y., Song L.-D., Zhao Q.-S. 2009. Diphaldine A, a new *Lycopodium* alkaloid from *Diphasiastrum complanatum* (Lycopodiaceae). *Acta Bot. Yunn.* 31 (1): 93—96.
31. Ishiuchi K., Kubota T., Mikami Y., Obara Y., Nakahata N., Kobayashi J. 2007. Complnadines C and D, new dimeric alkaloids from *Lycopodium complanatum*. *Bioorg. Med. Chem.* 15 (1): 413—417.
32. Manske R. H. F., Marion L. 1943. The alkaloids of *Lycopodium* species: III. *Lycopodium annotinum* L. *Can. J. Res.* 21B (5): 92—96.
33. Ayer W. A., Iverach G. G. 1960. The structures of  $\alpha$ - and  $\beta$ -obscurine. *Tetrahedron Lett.* 1 (31): 19—25.
34. *Dictionary of Alkaloids*. 1989. Ed. by I. W. Southon and J. Buckingham. London. 1161 p.
35. Ishiuchi K., Kubota T., Ishiyama H., Hayashi S., Shibata T., Mori K., Obara Y., Nakahata N., Kobayashi J. 2011. Lyconadins D and E, and complnadine E, new *Lycopodium* alkaloids from *Lycopodium complanatum*. *Bioorg. Med. Chem.* 19 (2): 749—753.
36. Gerard R. V., MacLean D. B., Fagianni R., Lock C. J. 1986. Fastigiatine, a lycopodium alkaloid with a new ring system. *Can. J. Chem.* 64 (5): 943—949.

37. Ishiuchi K., Kubota T., Hayashi S., Shibata T., Kobayashi J. 2009. Lycopladienes F and G, new C16N2-type alkaloids with an additional C4N unit from *Lycopodium complanatum*. *Tetrahedron Lett.* 50 (29): 4221—4224.
38. Katakawa K., Mito H., Kogure N., Kitajima M., Wong S., Arisawa M., Takayama H. 2011. Ten new fawcettimine-related alkaloids from three species of *Lycopodium*. *Tetrahedron.* 67 (35): 6561—6567.
39. Pan K., Luo J.-G., Kong L.-Y. 2013. Three new *Lycopodium* alkaloids from *Lycopodium obscurum*. *J. Asian Nat. Prod. Res.* 15 (5): 441—445.
40. Kitajima M., Takayama H. 2012. *Lycopodium* alkaloids: isolation and asymmetric synthesis. *Top. Curr. Chem.* 309: 1—32.
41. Pan G., Williams R. M. 2012. Unified total syntheses of fawcettimine class alkaloids: fawcettimine, fawcettidine, lycoflexine, and lycoposerramine B. *J. Org. Chem.* 77 (10): 4801—4811.
42. Inubushi Y., Harayama T., Hibino T., Akatsu M. 1971. Constituents of domestic *Lycopodium* genus plants. XIII. On the constituents of *Lycopodium cernuum* L. and *L. inundatum* L. *Yakugaku Zasshi.* 91 (9): 980—986.
43. Marion L., Manske R. H. F. 1944. The alkaloids of *Lycopodium* species: VI. *Lycopodium clavatum* L. *Can. J. Res.* 22B (5): 137—139.
44. Ishiuchi K., Kubota T., Morita H., Kobayashi J. 2006. Lycopladiene A, a new C16N alkaloid from *Lycopodium complanatum*. *Tetrahedron Lett.* 47 (19): 3287—3289.
45. Ishiuchi K., Kubota T., Hayashi S., Shibata T., Kobayashi J. 2009. Lycopladiene H, a novel alkaloid with fused-tetracyclic skeleton from *Lycopodium complanatum*. *Tetrahedron Lett.* 50 (47): 6534—6536.
46. Kobayashi J., Hirasawa Y., Yoshida N., Morita H. 2001. Lyconadin A, a novel alkaloid from *Lycopodium complanatum*. *J. Org. Chem.* 66 (17): 5901—5904.
47. Ishiuchi K., Kubota T., Ishiyama T., Hayashi Y., Shibata N., Kobayashi J. 2006. Lycopladienes B-D and lyconadin B, new alkaloids from *Lycopodium complanatum*. *Bioorg. Med. Chem.* 14 (17): 5995—6000.
48. Ishiuchi K., Kubota T., Ishiyama H., Hayashi S., Shibata T., Kobayashi J. 2011. Lyconadins C and F, new *Lycopodium* alkaloids from *Lycopodium complanatum*. *Tetrahedron Lett.* 52 (2): 289—292.
49. Cheng J.-T., Liu F., Li X.-N., Wu X.-D., Dong L.-B., Peng L.-Y., Huang S.-X., He J., Zhao Q.-S. 2013. Lycospidine A, a new type of *Lycopodium* alkaloid from *Lycopodium complanatum*. *Org. Lett.* 15 (10): 2438—2441.
50. Perry G. S., MacLean D. B. 1956. *Lycopodium* alkaloids III. Functional groups of some minor alkaloids of *L. annotinum*. *Can. J. Chem.* 34 (9): 1189—1199.
51. Inubushi Y., Tsuda Y., Sano T. 1962. Isolation of two new triterpenes from *Lycopodium clavatum* L. *Yakugaku Zasshi.* 82 (7): 1083.
52. Braekman J. C., Nyembo L., Bourdoux P., Kahindo N., Hootele C. 1974. Distribution des alcaloïdes dans le genre *Lycopodium*. *Phytochemistry.* 13 (11): 2519—2528.
53. Rodewald W. J., Gryniewicz G. 1977. Alkaloidy rodzaju *Lycopodium*: Alkaloidy *Lycopodium clavatum* L. *Rocz. Chem.* 51 (6): 1271—1274.
54. Miller N., Mees F., Braekman J. C. 1971. Alcaloïdes de *Lycopodium alpinum*. *Phytochemistry.* 10 (8): 1931—1934.

55. Achmatowicz O., Rodewald W. 1958. Alkaloydy rodzaju *Lycopodium*. IV. Uboczne alkaloidy *Lycopodium annotinum* L. Rocz. Chem. 32 (3): 485—498.
56. Rodewald W. J., Gryniewicz G. 1967. Minor constituents of *Lycopodium* alkaloids. Bull. Acad. Polon. Sci., Ser. Chim. 15: 579—581.
57. Anet F. A. L., Khan N. H. 1959. Alkaloids of *Lycopodium annotinum*: Part II. Isolation of four new alkaloids. Can. J. Chem. 37 (9): 1589—1596.
58. Ayer W. A., Hogg A. N., Soper A. C. 1964. *Lycopodium* alkaloids VI. The nature of alkaloid L.9. Can. J. Chem. 42 (4): 949—951.
59. Ayer W. A., Iverach G. G., Jenkins J. K., Masaki N. 1968. The structure of annopodine, a new type of *Lycopodium* alkaloid. Tetrahedron Lett. 9 (44): 4597—4600.
60. Bertho A., Stoll A. 1952. Bärlapp-Alkaloide, I. Mitteil.: Zur Kenntnis der Alkaloide aus *Lycopodium annotinum* L. Chem. Ber. 85 (7—8): 663—685.
61. Halldorsdottir E. S., Jaroszewski J. W., Olafsdottir E. S. 2010. Acetylcholinesterase inhibitory activity of lycopodane-type alkaloids from the Icelandic *Lycopodium annotinum* ssp. *alpestre*. Phytochemistry. 71 (2—3): 149—157.
62. Ayer W. A., Berezowsky J. A., Iverach G. G. 1962. *Lycopodium* alkaloids — II: The obscurines. Tetrahedron. 18 (5): 567—573.
63. Anet F. A. L., Khan N. H. 1960. Structure of annofoline, an alkaloid of *Lycopodium annotinum*. Chem. Ind. (London). 40: 1238—1239.
64. Burnell R. H., Taylor D. R. 1961. The structure and stereochemistry of fawcettiine, clavolonine and related alkaloids. Tetrahedron. 15 (1—4): 173—182.
65. Achmatowicz O., Zajac H. 1964. *Lycopodium* alkaloids. Bull. Acad. Pol. Sci., Ser. Sci. Chim. 12 (5): 311—313; Chem. Abstrs. 1964. Vol. 61, N 13358.
66. Anet F. A. L., Eves C. R. 1958. Lycodin, a new alkaloid of *Lycopodium annotinum*. Can. J. Chem. 36 (6): 902—909.
67. Ayer W. A., Iverach G. G. 1960. The structure of lycodine. Can. J. Chem. 38 (10): 1823—1826.
68. Moore B. P., Marion L. 1953.  $\alpha$ -Obscurine and  $\beta$ -obscurine: structure studies. Can. J. Chem. 31 (10): 952—957.
69. Manske R. H. F. 1944. The alkaloids of *Lycopodium* species: V. *Lycopodium obscurum* L. Can. J. Res. 22B (3): 53—55.
70. Kobayashi J., Hirasawa Y., Yoshida N., Morita H. 2000. Complanadine A, a new dimeric alkaloid from *Lycopodium complanatum*. Tetrahedron Lett. 41 (47): 9069—9073.
71. Hu T., Chandler R. F., Hanson A. W. 1987. Obscurinine: a new lycopodium alkaloid. Tetrahedron Lett. 28 (48): 5993—5996.
72. Xu R., Fazio G. C., Matsuda S. P. T. 2004. On the origins of triterpenoid skeletal diversity. Phytochemistry. 65 (3): 261—291.
73. Tsuda Y., Kaneda M., Yasufuku N., Shimizu Y. 1981. *Lycopodium* triterpenoids. (11). The structure of inundoside-A, -B, -C, -D, -D1,D2, -E, -F, and G, triterpenoid-glycosides occurring in *Lycopodium inundatum* L. Chem. Pharm. Bull. 29 (8): 2123—2134.

74. Tsuda Y., Fujimoto T., Kimpara K. 1970. 16-Oxoserratrol and 16-oxolyococlavanol: lycopodium triterpenoids. *J. Chem. Soc. D: Chem. Commun.* 5: 261—262.
75. Tsuda Y., Sano T., Morimoto A., Hatanaka M., Inubushi Y. 1974. Triterpenoid chemistry. VI. *Lycopodium* triterpenoid. (5). The structures and stereochemistry of serratrol, 21-episerratrol, and lycoclavanol. *Chem. Pharm. Bull.* 22 (10): 2383—2395.
76. Tsuda Y., Fujimoto T., Isobe K., Sano T., Kobayashi M. 1974. Chemotaxonomical studies on the triterpenoids of *Lycopodium* plants. *Yakugaku Zasshi.* 94 (8): 970—990.
77. Tsuda Y., Fujimoto T., Morimoto A., Sano T. 1975. *Lycopodium* triterpenoids. (8). The structure of lycoclavanin, a triterpenoids-tetraol possessing conjugated ketone chromophore, and a new tetraol lycaninol. *Chem. Pharm. Bull.* 23 (6): 1336—1346.
78. Yan J., Yi P., Chen B., Lu L., Li Z., Zhang X., Zhou L., Qiu M. 2008. Polyhydroxyserratane triterpenoids from *Diphasiastrum complanatum*. *Phytochemistry.* 69 (2): 506—510.
79. Zhang R.-X., D u J.-J., Yang J., Yang X.-S. 2010. Serratene-type triterpenoids from *Diphasiastrum complanatum*. *Shi Zhen Guoyi Guoyao.* 21 (6): 1354—1356.
80. Tsuda Y., Isobe K., Sano T. 1975. Triterpenoid chemistry. IX. *Lycopodium* triterpenoid. (6). The structures of three tetraols, lycocryptol, 21-epilycocryptol, and diepilycocryptol, and two new acids, lycernuic acid-A and -B. *Chem. Pharm. Bull.* 23 (2): 264—271.
81. Cai X., Pan D., Xu G., Seto H. F. 1992. Novel pentacyclic triterpene esters of  $\Delta^{14}$ -serratene type from *Lycopodium obscurum* L. *Acta Chim. Sin.* 50 (1): 60—66.
82. Inubushi Y., Tsuda Y., Sano T. 1962. Constituents of domestic *Lycopodium* genus plants. I. On the constituents of *Lycopodium clavatum*. *Yakugaku Zasshi.* 82 (11): 1537—1541.
83. Deng T., Ai Y., Chen Y., Yang G. 2009. Triterpenoid from *Lycopodium obscurum* L. *Acta Pharmaceut. Sin.* 44 (8): 891—894.
84. Yan J., Sun L., Li W., Zhou L., Li Z., Zhang X., Yang L., Qiu M. 2010. Cytotoxic serratane triterpenes from *Diphasiastrum complanatum* with a hydroxy group at C-27. *Planta Med.* 76 (4): 353—357.
85. Tsuda Y., Hatanaka M. 1969. Triterpenoids of *Lycopodium clavatum*: The structure of 21-episerratrol. *J. Chem. Soc. D: Chem. Commun.* 18: 1040—1042.
86. Sano T., Fujimoto T., Tsuda Y. 1975. Triterpenoid chemistry. XIII. *Lycopodium* triterpenoid. (9). The structure of lyclavatol, a novel triterpenoid of bisnoronocerane type. *Chem. Pharm. Bull.* 23 (8): 1784—1788.
87. Trofimova N. N., Gromova A. S., Semenov A. A. 1996. Serratene triterpenoids from *Lycopodium clavatum* L. (Lycopodiaceae). *Russ. Chem. Bull.* 45 (4): 961—963.
88. Cai X., Pan D., Xu G. 1989. Study on the tetracyclic triterpenes of *Lycopodium obscurum* L. *Acta Chim. Sin.* 47 (10): 1025—1028.
89. Zhao Y. H., Deng T. Z., Chen Y., Liu X. M., Yang G. Z. 2010. Two new triterpenoids from *Lycopodium obscurum* L. *J. Asian Nat. Prod. Res.* 12 (8): 666—671.
90. Sano T., Fujimoto T., Tsuda Y. 1970. Clavatol: a novel triterpenoid of the bisnoronocerane type isolated from *Lycopodium clavatum*. *J. Chem. Soc. D: Chem. Commun.* 20: 1274—1275.
91. Inubushi Y., Sano T., Prise J. R. 1967. Triterpene constituents of *Lycopodium complanatum* L. from New Guinea. *Austral. J. Chem.* 20 (2): 387—388.

92. Tsuda Y., Fujimoto T. 1969. Triterpenoids of *Lycopodium clavatum*: The structures of three new triterpenoids containing conjugated ketone groups. J. Chem. Soc. D: Chem. Commun. 18: 1042—1043.
93. Tsuda Y., Fujimoto T. 1970. The structure of lycoclavanin: triterpenoid of *Lycopodium clavatum*. J. Chem. Soc. D: Chem. Commun. 5: 260—261.
94. Zhang R., Yu J., Yang J. 2009. Flat sticks of the study of the *Lycopodium* chemical composition. Master's thesis. [www.dissertationtopic.net/doc/241232](http://www.dissertationtopic.net/doc/241232).
95. Nes W. R., Krevitz K., Joseph J., Nes W. D., Harris B., Gibbons G. F., Patterson G. W. 1977. The phylogenetic distribution of sterols in tracheophytes. Lipids. 12 (6): 511—527.
96. Chiu P.-L., Patterson G. W., Salt T. A. 1988. Sterol composition of pteridophytes. Phytochemistry. 27 (3): 819—822.
97. Cai X., Pan D. 1987. Steroids of shenjincao (*Lycopodium clavatum*) and yubai shisong (*Lycopodium obscurum*). Zhongcaoyao. 18 (12): 530—534; Chem. Abstrs. 1988. Vol. 108, N 147157.
98. Cai X., Tan D., Pan D., Zhang X. 1989. Study a steroid composition of *Lycopodium obscurum*. Zhongcaoyao. 20 (7): 332; Chem. Abstrs. 1989. Vol. 111, N 211985.
99. Czeuczuga B. 1985. Carotenoids in sixty-six representatives of Pteridophyta. Biochem. Syst. Ecol. 13 (3): 221—230.
100. Czeuczuga B. 1986. Carotenoids in gymnosperms. Biochem. Syst. Ecol. 14 (1): 13—15.
101. Hegnauer R. 1962. Chemotaxonomie der Pflanzen. Basel; Stuttgart. Bd 1. 517 S.
102. Srivastava S., Singh A. P., Rawat A. K. S. 2012. AHPTLC method for the identification of ferulic acid from *Lycopodium clavatum*. Asian Pac. J. Trop. Biomed. 2 (1), Suppl.: S12—S14.
103. Voirin B., Jay M. 1978. Apport de la biochimie flavonique a la systematique du genre *Lycopodium*. Biochem. Syst. Ecol. 6 (2): 95—97.
104. Ansari F. R., Ansari W. H., Rhaman W., Seligmann O., Chari V. M., Wagner H., Österdahl B. J. 1979. A new acylated apigenin 4'-O- $\beta$ -D-glucoside from the leaves of *Lycopodium clavatum* L. Planta Med. 36 (7): 196—199.
105. Tulloch A. P. 1965. The oxygenated fatty acids from the oil of the spores of *Lycopodium* species. Can. J. Chem. 43 (2): 415—420.
106. Orhan I., Özçelik B., Aslan S., Kartal M., Karaoglu T., Şener B., Terzioglu S., Choudhary M. I. 2007. Antioxidant and antimicrobial actions of the clubmoss *Lycopodium clavatum* L. Phytochem. Rev. 6: 189—196.
107. Crivineanu M., Durdun C., Nicorescu I. 2009. Antioxidant activity of some polyphenolic extracts obtained from plants with antitumoral potential on linolenic acid emulsion. Bull. UASVM, Veter. Med. 66 (1): 359—365.
108. Konrath E. L., Neves B. M., Lunardi P. S., Passos Cdos S., Simxes-Pires A., Ortega M. G., Gonzalves C. A., Cabrera J. L., Moreira J. C., Henriques A. T. 2012. Investigation of the *in vitro* and *ex vivo* acetylcholinesterase and antioxidant activities of traditionally used *Lycopodium* species from South America on alkaloid extracts. J. Ethnopharmacol. 139 (1): 58—67.
109. Calderyn A. I., Simithy-Williams J., Sanchez R., Espinosa A., Valdespino I., Gupta M. P. 2013. Lycopodiaceae from Panama: a new source of acetylcholinesterase inhibitors. Nat. Prod. Res. 27 (4—5): 500—505.

110. Pathak S., Das J. K., Jyoti Biswas S., Khuda-Bukhsh A. R. 2006. Protective potentials of a potentized homeopathic drug, *Lycopodium-30*, in ameliorating azo dye induced hepatocarcinogenesis in mice. *Mol. Cell. Biochem.* 285 (1–2): 121–131.
111. Pathak S., Banerjee A., Paul S., Khuda-Bukhsh A. R. 2009. Protective potentials of a plant extract (*Lycopodium clavatum*) on mice chronically fed hepato-carcinogens. *Indian J. Exp. Biol.* 47 (7): 602–607.
112. Rusu M. A., Tamas M., Puica C., Roman I., Sabadas M. 2005. The hepatoprotective action of ten herbal extracts in CCl<sub>4</sub> intoxicated liver. *Phytother. Res.* 19 (9): 744–749.
113. Sur R. K., Samajdar K., Mitra S., Gole M. K., Chakrabarty B. N. 1990. Hepatoprotective action of potentized *Lycopodium clavatum* L. *Brit. Homoeop. J.* 79 (3): 152–156.
114. Pathak S., Bhattacharjee N., Das J. K., Choudhury S. C., Karmakar S. R., Banerjee P., Paul S., Banerjee A., Khuda-Bukhsh A. R. 2007. Supportive evidence for the anticancerous potential of alternative medicine against hepatocarcinogenesis in mice. *Forsch. Komplementmed.* 14 (3): 148–156.
115. Orhan I., Sener B., Choudhary M. I., Khalid A. 2004. Acetylcholinesterase and butyrylcholinesterase inhibitory activity of some Turkish medicinal plants. *J. Ethnopharmacol.* 91 (1): 57–60.
116. Orhan I., Terzioglu S., Sener B. 2000.  $\alpha$ -Onocerin: an acetylcholinesterase inhibitor from *Lycopodium clavatum*. *Planta Med.* 69 (3): 265–267.
117. Rollinger J. M., Ewelt J., Seger C., Sturm S., Ellmerer E. P., Stuppner H. 2005. New insights into the acetylcholinesterase inhibitory activity of *Lycopodium clavatum*. *Planta Med.* 71 (11): 1040–1043.
118. Orhan I., Ozcelik B., Aslan S., Kartal M., Karaoglu T., Sener B., Terzioglu S., Choudhary M. I. 2009. *In vitro* biological activity screening of *Lycopodium complanatum* L. ssp. *chamaecyparissus* (A. Br.) Doll. *Nat. Prod. Res.* 23 (6): 514–526.
119. Tezuka Y., Fan W., Kasimu R., Kadota S. 1999. Screening of crude drug extracts for prolyl endopeptidase inhibitory activity. *Phytomedicine.* 6 (3): 197–203.
120. Tam T. W., Liu R., Arnason J. T., Krantis A., Staines W. A., Haddad P. S., Foster B. C. 2011. Cree antidiabetic plant extracts display mechanism-based inactivation of CYP3A4. *Can. J. Physiol. Pharmacol.* 89 (1): 13–23.
121. Bishayee K., Chakraborty D., Ghosh S., Boujedaini N., Khuda-Bukhsh A. R. 2013. Lycopodine triggers apoptosis by modulating 5-lipoxygenase, and depolarizing mitochondrial membrane potential in androgen sensitive and refractory prostate cancer cells without modulating p53 activity: signaling cascade and drug-DNA interaction. *Eur. J. Pharmacol.* 698 (1–3): 110–121.
122. Samadder A., Das S., Das J., Paul A., Boujedaini N., Khuda-Bukhsh A. R. 2013. The potentized homeopathic drug, *Lycopodium clavatum* (5C and 15C) has anti-cancer effect on hela cells *in vitro*. *J. Acupunct. Meridian. Stud.* 6 (4): 180–187.
123. Mandal S. K., Biswas R., Bhattacharyya S. S., Paul S., Dutta S., Pathak S., Khuda-Bukhsh A. R. 2010. Lycopodine from *Lycopodium clavatum* extract inhibits proliferation of HeLa cells through induction of apoptosis via caspase-3 activation. *Eur. J. Pharmacol.* 626 (2–3): 115–122.
124. Orhan I. E., Şener B., Kaiser M., Brum R., Tasdemir D. 2013. Antiprotozoal activity and cytotoxicity of *Lycopodium clavatum* and *Lycopodium complanatum* subsp. *chamaecyparissus* extracts. *Turk. J. Biochem.* 38 (4): 403–408.
125. Orhan I., K peli E., Şener B., Yesilada E. 2007. Appraisal of anti-inflammatory potential of the clubmoss, *Lycopodium clavatum* L. *J. Ethnopharmacol.* 109 (1): 146–150.

126. Sundaram E. N., Singh K. P., Reddy P. K., Kumar S., Nair K. R. J., Khurana A., Singh H., Nayak C. 2013. Preliminary study to evaluate analgesic and behavioural effects of *Lycopodium clavatum* in experimental animals. Indian J. Res. Homoeop. 7 (4): 168—175.

127. Johnson T., Siegel D. 2014. Complanadine A, a selective agonist for the Mas-related G protein-coupled receptor X2. Bioorg. Med. Chem. Lett. 24 (15): 3512—3515.