

**RESOURCE CHARACTERISTICS OF COENOPOPULATIONS OF  
*SANGUISORBA OFFICINALIS* (ROSACEAE) IN BURYATIYA**

© V. M. Shishmarev,\* T. M. Shishmareva

Institute of General and Experimental Biology Siberian Division RAS, Ulan-Ude, Buryatiya

\*E-mail: shishmarevslava@rambler.ru

REFERENCES

1. Opredelitel rasteniy Buryatii 2001. [Key to plants of Buryatiya]. Ulan-Ude. 672 p. (In Russian)
2. Rastitelnyye resursy Rossii: Dikorastushchiye tsvetkovyye rasteniya, ikh komponentnyy sostav i biologicheskaya aktivnost. 2009. T. 2. Semeystva Actinidiaceae–Malvaceae, Euphorbiaceae–Haloragaceae [Plant resources of Russia: Wild flowering plants, their composition and biological activity. Vol. 2. Families Actinidiaceae–Malvaceae, Euphorbiaceae–Haloragaceae]. St. Peterburg; Moscow. 513 p. (In Russian)
3. Mashkovskiy M. D. 2008. Lekarstvennyye sredstva [Medications]. Moscow. 1206 p. (In Russian)
4. Ibragimov F. I., Ibragimova V. S. 1960. Osnovnyye lekarstvennyye sredstva kitayskoy meditsiny [Essential drugs of Chinese medicine]. Moscow. 412 p. (In Russian)
5. Makarov A. A. 1974. Rastitelnyye lechebnyye sredstva yakutskoy narodnoy meditsiny [Herbal remedies of Yakut traditional medicine]. Yakutsk. 64 p. (In Russian)
6. Vostrikova G. G. 1973. Medicinal plants common for traditional medicine of the Udegeis, the Nanais and the Ulchis of Amur river region. In: Uspekhi izucheniya lekarstvennykh rasteniy Sibiri. Tomsk. P. 15–16. (In Russian)
7. Gammerman A. F., Blinova K. F., Badmaev A. N. 1967. The antimicrobial properties of medicinal plants of Tibetan medicine. In: Fitontsidy, ikh biologicheskaya rol i znachenie dlya meditsyny i narodnogo khozyaystva. Kiev. P. 107–114. (In Russian)
8. Park J. H., Han J. A., Kim J. S., Moon J. O., Cai S. Q. 1997. Pharmacognostical studies on the «O-I-Pul». — Korean J. Pharmacognosy. 28(3): 124–130.
9. Kokoska L., Polesny Z., Rada V., Nepovim A., Vanek T. 2002. Screening of some Siberian medicinal plants for antimicrobial activity. — J. Ethnopharmacol. 82(1): 51–53.
10. Shin T. Y., Lee K. B., Kim S. H. 2002. Anti-allergic effects of *Sanguisorba officinalis* on animal models of allergic reactions. — Immunopharmacol. Immunotoxicol. 24(3): 455–468.

11. Kwan H. P., Koh D., Kim K., Park J., Lim Y. 2004. Anti-allergic activity of a disaccharide isolated from *Sanguisorba officinalis*. — *Phytother. Res.* 18(8): 658–662.
12. Liao H., Banbury L. K., Leach D. N. 2008. Antioxidant activity of 45 Chinese herbs and the relationship with their TCM characteristics. — *Evid. Based Complement. Alternat. Med.* 5(4): 429–434.
13. Kim T. G., Kang S. Y., Jung K. K., Kang J. H., Lee E., Han H. M., Kim S. H. 2001. Antiviral activities of extracts isolated from *Terminalia chebula* Retz., *Sanguisorba officinalis* L., *Rubus coreanus* Miq. and *Rheum palmatum* L. against hepatitis B virus. — *Phytother. Res.* 15(8): 718–720.
14. Metodika opredeleniya zapasov lekarstvennykh rasteniy [Methodology for evaluation of the medicinal plants stock]. 1986. Moscow. 52 p. (In Russian)
15. Metodicheskiye ukazaniya po izucheniyu resursov lekarstvennykh rasteniy Sibiri 1988. [Methodological guidelines for the study of Siberian medicinal plant resources]. Abakan. 93 p. (In Russian)
16. Budantsev A. L., Kharitonova N. P. 2006. Resursovedeniye lekarstvennykh rasteniy [Resource studies of medicinal plants]. St. Petersburg. 84 p. (In Russian)
17. Tsenopopulyatsii rasteniy (osnovnyye ponyatiya i struktura) 1976. [Plant coenopopulations (basic concepts and structure)]. Moscow. 217 p. (In Russian)
18. Tsenopopulyatsii rasteniy (ocherki populyatsionnoy biologii) 1988. [Plant coenopopulations (essays on population biology)]. Ed. by Zaugolnova L. B., Zhukova L. A., Komarov A. S. Moscow. 184 p. (In Russian)
19. Rabotnov T. A. 1950. Life cycle of perennial herbaceous plants in the meadow phytocenosis. — *Trudy BIN AN SSSR. Seriya 3. Geobotanika.* 6: 7–204. (In Russian)
20. Uranov A. A. 1975. Age spectrum of phitocoenopopulations as a function of time and energy wave processes. — *Nauchnye doklady vysshey shkoly. Biologicheskie nauki.* 2: 7–33. (In Russian)
21. Zhivotovskiy L. A. 2001. Ontogenetic state, the effective density and classification of population. — *Ekologiya.* 1: 3–7. (In Russian)
22. Zaytsev G. N. 1990. Matematika v eksperimentalnoy botanike [Mathematics in experimental botany]. Moscow. (In Russian)
23. Popov A. I., Egorova I. N. 1993. Stocks of wild medicinal plants raw materials in the north-western districts of Kemerovo region. — *Rastitelnye resursy.* 29(1): 21–26. (In Russian)
24. Popov A. I., Egorova I. N. 1993. Stocks of wild medicinal plants raw materials in the southern districts of Kemerovo region. — *Rastitelnye resursy.* 29(1): 26–30. (In Russian)

25. Dontsov A. A., Oleshko G. I., Borisova N. A., Pecherskaya L. G., Korepanova N. S. 1984. Stocks of wild medicinal plants in the south-eastern districts of Sverdlovsk region. — *Rastitelnye resursy*. 20(2): 177–182. (In Russian)
26. Shorina N. I. 1968. The age spectrum and number of populations of *Colchicum speciosum* Stev. in the forest and subalpine zones of the Western Transcaucasia. In: *Voprosy morfogeneza tsvetkovykh rasteniy i stroenie ikh populyatsiy* [Problems in the morphogenesis of flowering plants and their population structure]. Moscow. P. 125–154. (In Russian)